

2016

**FIVICS & KROSSEN
PRODUCT GUIDE**



FIVICS
ARCHERY



KROSSEN
ARCHERY



"The best way to increase your career / Top shooter's choice"

Fivics lines are loved by all shooters because of its own unique design and perfect function of shooting. Fivics line up is cleared more and now, we hereby introduce Fivics's new line up for top shooters and persons who want to be a top shooter.

"Confidence" "Concentration" "Overcome" "Belief" "Victory"

The above small words make your dreams come true and you will get them from Fivics. Are you ready? Please look into what they are.

"Over the Archery"



"Everyone can enjoy Archery"

Since Fivics archery center has launched on April, 2015, Fivics has been focusing on how to enjoy archery from not only top shooters but also normal peoples and now, we hereby introduce Fivics's new line up for 2016. Believe our dreams come true.

This is Krossen line and we can say "Now, everybody can enjoy archery by using of this top quality and beautiful designed gears"

There were only small options for beginners or middle class before, but we Fivics think we have to increase more options for all of peoples who love Archery as we love.

"Beyond the Archery"





PERFECT CENTROIDAL BALANCE

TITAN X2™

HT0525 » TITAN X2 RISER

- Superfine CNC milling
- Special unique designed wooden grip
- Slow production
- Perfect centroidal balance
- Flawless coating
- Deep color from Anodizing
- Showy color from painting

PROCESSING » CNC
 WEIGHT » 1,315g(25") / 1,330(27")
 MATERIAL » AL 6061
 TYPE » RH/LH
 GRIP » Cherry Wood
 COLOR » Anodized & Painted

25"
27"



SHOOT AND FEEL!

TITAN

LTW01C » TITAN WOOD CORE LIMBS

- Clear and powerful shooting
- New Material : **MONOCOQUE** UD carbon
- Light weight
- New designed tip part

MATERIAL » Double angled Full Carbon
 CORE » Wood core
 BOW LENGTH » 66",68",70"
 DRAW WEIGHT(lbs.) » 28#-50#

* Fivics's all limbs are installed to all Fivics's riser and others.



TITAN

LTP02C » TITAN FOAM CORE LIMBS



- Clear and powerful shooting
- New Material : **MONOCOQUE** UD carbon
- Light weight
- New designed tip part

MATERIAL » Double angled Full Carbon
 CORE » Foam core
 BOW LENGTH » 66",68",70"
 DRAW WEIGHT(lbs.) » 28#-50#

* Fivics's all limbs are installed to all Fivics's riser and others.

Double angled Full Carbon
 Monocoque UD carbon
 High Quality Wood Core
 High Quality Wood Core
 Carbon U/D
 Double angled Full Carbon

Double angled Full Carbon
 Monocoque UD carbon
 M-Foam Core
 M-Foam Core
 Carbon U/D
 Double angled Full Carbon



UPGRADED FROM SRV



HS0125 » GLADIUS SRV RISER

- Reduced the weight from original, -30g
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » **CNC**
 WEIGHT » **1,260g**
 MATERIAL » **AL 6061**
 TYPE » **RH/LH**
 GRIP » **Plastic**
 COLOR » **Painted**

25"



Phantom Black Pola White Purple Cobalt Blue Fiery Red Hot Pink

MONOCOQUE MULTIPLE CORE LIMBS



LGF01 » GLADIUS SRV FOAM LIMBS

- Foam core only
- Makes high speed arrow
- New designed tip

MATERIAL » **UD CARBON**
 CORE » **M-FOAM CORE**
 BOW LENGTH » **66", 68", 70"**
 DRAW WEIGHT(lbs.) » **28#-46#**

** Fivics's all limbs are installed to all Fivics's riser and others.*

**66,68,
70 INCHS**
**28-46
POUNDS**



Fiber Glass Woven Fabric
 Carbon U/D
 M-Foam Core
 M-Foam Core
 Carbon U/D
 Fiber Glass Woven Fabric

ONLY 1,100 GRAMS FOR RISER

VELLATOR

HV0225 » VELLATOR 25" RISER
 HV0223 » VELLATOR 23" RISER

- The lightest weight
- Only 1,100grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » Forged
 WEIGHT » 1,100g(25")/1,070(23")
 MATERIAL » AL 6061
 TYPE » RH/LH
 GRIP » Plastic
 COLOR » Anodized
 LENGTHS » 23",25"

23"
 25"



Phantom Black Pola White Tan Brown Cobalt Blue Fiery Red Hot Pink

MONOCOQUE MULTIPLE CORE LIMBS

VELLATOR

LVW02 » VELLATOR WOOD LIMBS

- Wood core only
- Makes high speed arrow
- New designed tip
- Crosse carbon applied

MATERIAL » UD CARBON
 CORE » Wood
 BOW LENGTH » 66",68",70"
 DRAW WEIGHT(lbs.) » 28#-46#

* Fivics's all limbs are installed to all Fivics's riser and others.

66,68,
70 INCHES
 28-46
POUNDS



Fiber Glass Woven Fabric
 Carbon U/D
 Hard Maple Wood
 Hard Maple Wood
 Carbon U/D
 Fiber Glass Woven Fabric

DESIGNED FOR OLYMPIC STYLE



FV-300 » FV-300 SIGHT

- Designed for Olympic style / recurve bows
- Special designed weight and damper are excluded, but you can attach
- VTS (Variable Tension System)
- elevation travel tension adjustment

SIZE » Extention 9"
 TYPE » RH /LH
 MATERIAL » Aluminum, Carbon



DESIGNED FOR OLYMPIC STYLE



FV-150S » FV-150S SIGHT

- Designed for Olympic style / recurve bows
- Special designed weight and damper are excluded, but you can attach

SIZE » Extention 8"
 TYPE » RH /LH
 MATERIAL » Aluminum, Carbon



SGP01 » SIGHT PIN (SQUARE)

- Designed for Olympic style / recurve bows
- Apply all of sights



SGP02 » SIGHT PIN (ROUND)

- Designed for Olympic style / recurve bows
- Apply all of sights



SIGHT DAMPERS

Extra special designed weight and damper are included



FVW501

FVW502

PHOENIX




STP01L » PHOENIX LONG STABILIZER
STP01S » PHOENIX SIDE STABILIZER
STP01E » PHOENIX EXTENDER

- Both recurve & compound
- High elastic cross carbon
- Removing weight all at once
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Stabilizer screw top
- Internal thickened extender

DIAMETER » **22mm**
 LENGTH » **Long : 24", 27", 30", 33" / Side : 10", 11", 12", 15", 17"**
Extender : 4", 5", 6"
 WEIGHT » **152g(30"), 90g(12")**

** Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)*



PHOENIX

REV CARBON STABILIZER SYSTEM Gear



STG01L » GEAR2000 LONG STABILIZER
STG01S1 » GEAR2000 FIELD STABILIZER

- High elastic cross carbon
- Special designed rubber damper
- Special desinged rubber grip
- Non-slip
- Double damper system
- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Stabilizer screw top

DIAMETER » **20mm**
 LENGTH » **Long : 24", 27", 30" / Field : 10", 12", 15"**
 WEIGHT » **540g(30"), 480g(12")**

** Two weight damper included and full set basis
 * Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)*

VBT01 » COM V-BAR
 Easy to adjust, but strong holding for compound bow
 MATERIAL » **Aluminum**



GEAR 2000 WEIGHT
 Diameter : **35mm**



WTGE2
 Weight : **95g**



WTGE3
 Weight : **85g**



CEX1900 STABILIZER SYSTEM

- STC19L » CEX1900 LONG STABILIZER
- STC19S » CEX1900 SIDE STABILIZER
- STC19E » CEX1900 EXTENDER



- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top
- FSP system : Four Strong Pillar system
- One color extender

DIAMETER » 19mm
 EXTENDER DIAMETER » 21mm
 LENGTH » Long : 26", 28", 30" / Side : 10", 11", 12" / Extender : 4", 5", 6"
 WEIGHT » 130g(30"), 96g(12")

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)

VBM01 » MAN V-BAR

Upgraded connecting bolt
 ANGLE » 40° / 45° MATERIAL » Aluminum
 COLOR » BLACK, CHAMPAGNE GOLD, SILVER



VD200 » VWT 200 » VD200 DAMPER VWT 200 WEIGHT



Yellow Green Red Blue Pink White Black

CEX2000 CLEAN & EASY SHOT X 2000

- STC20L » CEX2000 LONG STABILIZER
- STC20S » CEX2000 SIDE STABILIZER
- STC20E » CEX2000 EXTENDER



- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Internal thickened extender
- Absorbing noise system
- Non-slip
- Stabilizer screw top

DIAMETER » 20mm
 LENGTH » Long : 26", 28", 30", 34" / Side : 10", 11", 12" / Extender : 4", 5", 6"
 WEIGHT » 148g(30"), 100g(12")

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)

VBE03 » ED V-bar

Quick disconnection
 ANGLE » 40° / 45° MATERIAL » Aluminum
 COLOR » BLACK, CHAMPAGNE GOLD



CEX2000 WEIGHT



WTCX1	WTCX2	WTCX3	WTCX4	WTCX5	WTCX6
thickness : 11.8	thickness : 21.0	thickness : 30.0	thickness : 39.0	thickness : 48.5	thickness : 57.4
Weight : 30g	Weight : 60g	Weight : 90g	Weight : 120g	Weight : 150g	Weight : 180g

DVZ005 » CEX2000 DAMPER



Red Blue Yellow White



Gold Silver Red Blue

VELLATOR



STV01L» VELLATOR LONG STABILIZER
STV01S » VELLATOR SIDE STABILIZER
STV01E » VELLATOR EXTENDER

- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

DIAMETER » 18mm
 LENGTH » Long : 26", 28", 30" / Side : 9", 10", 12" / Extender : 3", 4", 5"
 WEIGHT » 130g(30"), 78g(12")

** Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)*

VBM02 » GLA V-BAR

Upgraded connecting bolt
 ANGLE » 40° / 45° MATERIAL » Aluminum



XEDA01 » XENIA DAMPER



XEWH01 » XENIA WEIGHT



Black Blue Red

VBM01 » MAN V-BAR

Upgraded connecting bolt
 ANGLE » 40° / 45° MATERIAL » Aluminum
 COLOR » BLACK, CHAMPAGNE GOLD, SILVER



VBE03 » ED V-bar

Quick disconnection
 ANGLE » 40° / 45° MATERIAL » Aluminum
 COLOR » BLACK, CHAMPAGNE GOLD



VBT01 » COM V-BAR

Easy to adjust, but strong holding for compound bow
 MATERIAL » Aluminum



VBM02 » GLA V-BAR

Upgraded connecting bolt
 ANGLE » 40° / 45° MATERIAL » Aluminum



VBT04 » TR V-BAR

Easy to adjust, but strong holding for recurve bow
 MATERIAL » Aluminum



VBCC02 » COM CONNECTING BOLT

Quick disconnection
 MATERIAL » Aluminum
 ANGLE » -10°





DVZ1500 » VZ1500 DAMPER
Butyl-rubber with several colors
Weight : 38g



Black Red Blue Yellow



DVZ2000 » VZ 2000 DAMPER
Butyl-rubber with several colors
Weight : 50g



Black Red Blue Yellow



VD200 » VD200 DAMPER



VD220 » VD220 DAMPER


VD100 » VD100 DAMPER



DVZ005 » CEX2000 DAMPER



Red Blue Yellow White



1S45S16S

*Applicable for all dampers

DW0001L » WEIGHT DAMPER (L)
DW0001S » WEIGHT DAMPER (S)



Black Blue Red

DTS001 » TOP SAVER

Fivcis's top saver is located in the point which vibration starts, so it can reduce the vibration immediately compared to existing one.

Weight » Front 5.7g / Back 4.7g



FRONT

BACK



WTAL1H
Diameter : 23mm
Weight : 44.3g



WTAL1F
Diameter : 23mm
Weight : 25g



WTAL2H
Diameter : 20mm
Weight : 31.5 g



WTAL2F
Diameter : 20mm
Weight : 18.2g

AL-COLOR WEIGHT

Diameter : 23mm, 20mm
Material : Aluminum+Stainless

COLOR



Red Pink Yellow Green Blue Black

WT SERIES

Diameter : 20mm



WTF
Weight : 26g



WTS
Weight : 22g



WTH
Weight : 40g

WT5 SERIES

Diameter : 23mm



WT5F
Weight : 36g



WT5H
Weight : 50g

VWT 300 » VWT 300 WEIGHT



VWT 200 » VWT 200 WEIGHT



CEX2000 WEIGHT

Diameter : 23mm



WTCX1
thickness : 11.8
Weight : 30g



WTCX2
thickness : 21.0
Weight : 60g



WTCX3
thickness : 30.0
Weight : 90g



WTCX4
thickness : 39.0
Weight : 120g



WTCX5
thickness : 48.5
Weight : 150g



WTCX6
thickness : 57.4
Weight : 180g





TNV 2300 »
TNV 2300 UPSTABILIZER
 Weight : 80g



TNC20 »
TNX2000 UPSTABILIZER
 Weight : 84g



TNS100AL »
TNS100AL UPSTABILIZER
 Weight : 90g



TMX1500
TMX1300

TMX1500 » UPSTABILIZER
TMX1300 » UPSTABILIZER



SM740 » SM740 CUSHION PLUNGER

Window checking



Thread : 5/16" - 24
 Adjustable Length : min 19.5mm, max 26.5mm



SM540 » SM540 CUSHION PLUNGER

Compact size to make easy setting



Thread : 5/16" - 24
 Adjustable Length : min 19.5mm, max 26.5mm

BRS001 » BUTTERFLY REST
 Ambidextrous Design



MRS001 » MR REST
 Stainless steel ensured durability while reducing friction.



SAKER+^{EP}



SFT04A » Saker+ Plus finger tab.

SIZE » L / M / S (RH / LH)

Saker+ Plus finger tab has 6mm of thickness and added 3 weight control and 5 angle adjustment system by using of precisely machining aluminum plate.

Saker+ Plus finger tab can be adjusted depending on individual characteristics and allows more stable hooking position and it makes possible to shoot perfectly in any competition.

And also, it is very easy to cover the special parts for the thumb and little finger.

We have considered only shooter's convenience and individual characteristics always.

Saker+ Plus finger tab's spacer is designed for the bending of the shaping as well it looks like the elephant-shape and makes comfortable for shooters.

Fivics is using high quality cordovan leathers only which is provided by H company with one hundred years history in U.S.A

2 Special Cover Parts



1 Adjustable Ledge



4 Balance Control



3 Weight Control



5 Angle Adjustment



POLITE³ CARE



reddot award 2014 winner



POLITE² CARE



reddot award 2014 winner





PFT03 » POLITE 3 FINGER TAB

PFT02 » POLITE 2 FINGER TAB

SIZE » L / M / S (RH / LH)

- Emphasizes the sense of unity in your hands.
- Absolute stability, accuracy, and sense of unity of hooking
- 5 Distribution and support of the optimal force by using the whole fingers
- Ergonomic 3D design
- Aluminium & anodizing surface treatment
- The best quality leather "G3 SYSTEM" G1- High Quality Cordovan, G2-Hyperon, G3 Cowhide leather (NEW G2 hyperon rubber is the waterproof sheet and has excellent performance for preventing slip between leathers and protecting fingers.)



SAKER

- Ergonomic design
- Adjustable ledge
- Replaceable face and backing
- Optional finger spacer available



BFT01A » BRASS SAKER 1

SIZE » L / M / S (RH / LH)
WEIGHT » L 162g, M 152g, S 144g
LEATHER » Cordovan



BFT02A » BRASS SAKER 2

SIZE » L / M / S (RH / LH)
WEIGHT » L 150g, M 140g, S 136g
LEATHER » Cordovan



SFT01A | SAKER 1

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR



SFT02A | SAKER 2

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR



SFT03A | SAKER 3


SIZE » L / M / S (RH / LH)
LEATHER » Cordovan



COLOR



FINGER SPACER



FS004D

Material : Rubber
Size : 39.8 x 29.3 x 16.2mm
Weight : 14g

COLOR



FS001

Material : Plastic
Size : 36 x 28.3 x 12.3mm
Weight : 8g



FS006

Material : Aluminum
Size : 40 x 29 x 10mm
Weight : 15g




FS004S

Material : Rubber
Size : 32 x 28 x 12.4mm
Weight : 10g

EP001 » SAKER 1 FINGER TAB FRAME EP

EP001 only fit Saker 1 finger tab
It offers top shooters another value for their hooking direction, comfortable and balanced.
This component enhances the saker finger tab's Ergonomic design



Size » saker1 XL , L = EP (L size)
saker1 M , S = EP (M size)
saker1 XS , XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.

World Archery C&R Committee, 22 September 2014



BCHD02 » AEGIS HARD CASE SINGLE

- Lightweight
- Strong enough against bad moving
- Special designed wheels
- Showy colors
- This model can hold up to one recurve bows and their accessories

Size : **830×320×190mm**
 Material : **ABS+PC**
 Pocket : **1pcs**

**Recommended maximum weight : 23kg*



**ECRC01
HARDCASE RAIN COVER**



Rain cover / Case belt included



Black

Silver

Blue

Red

Pink

BCHD01 » AEGIS HARD CASE DOUBLE

- High quality hardcase
- This model can hold up to two recurve bows and their accessories

Size : **33" X 15" X 10"**
 Material : **ABS**
 Pocket : **1pcs**

**Recommended maximum weight : 23kg*



**ECRC01
HARDCASE RAIN COVER**



Rain cover / Case belt included



Black

Silver

Blue

Red

Pink

THUNDER SERIES



**BCR9300 »
RCD930 (DOUBLE)**

Room for two recurve bows
Dimension : 14" X 36.5" X 12"

**BCR930S »
RCS930 (SINGLE)**

Room for one recurve bow
Dimension : 14" X 36.5" X 7"

**BCC12500 »
CCD1250 (DOUBLE)**

Room for two compound bows
Dimension : 15" x 45" x 12"

**BCC1250S »
CCS1250 (SINGLE)**

Room for one compound bow
Dimension : 15" X 45" X 6.5"

***Recommended maximum weight : 23kg**



Pocket+Arrow tube + Rain cover included

BC2L01 » Folding case(2 level)

- Compact size
- Including riser & limbs and arrow and equipment cases



* The above image shows including 1 full sets of bows except arrow tube.



BCB02TM » TENTRON-M BACKPACK

Size : 11.8" X 7.8" X 26.7"
Pocket : 1pcs



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included
- + Rain Cover



Black



Blue



Red

RLC01 » RISER & LIMBS CASE



EC05 » ARROW TUBE



EC02 » EQUIPMENT CASE

EC03 » TOOL BOX



QV01UNTB » UNICO QUIVER LARGE
QV01UNTS » UNICO QUIVER SMALL

Artificial leather provide you with elegance.

Extra "L" size belts are on sales

SIZE » Large / Small
WEIGHT » L-502g / S- 418g
TYPE » RH / LH



LARGE

SMALL

Navy

Red

Black

QV01UNB » UNICO BACK

Artificial leather provide you with elegance.

Extra "L" size belts are on sales

TYPE » RH / LH RH / LH



Black

Navy

Red



QV02AT » ACCENDO TOURNAMENT

Light weight (630g)
Large pocket for accessories

TYPE » RH / LH



QV04XK »XK

Colorful design,
Artificial leather

TYPE » RH / LH



QV02AB » ACCENDO BACK

Light weight (260g)
Large pocket for accessories

TYPE » RH / LH



HPTK5 » HAND POCKET



HPTKN » NATIONAL HAND POCKET



AVAILABLE FOR
ANY COUNTRIES



AC19EH » HK HOLDER

CG02BP » WIND

Hard mesh provide you with freshness in shooting.
Band system
Moving free

SIZE » L, M, S, XS
TYPE » RH / LH



White Red Blue



CG02BD » BAND

Band system
Moving free

SIZE » L, M, S, XS
TYPE » RH / LH



CG001A2 » A2

Adjust a shoulder band
The button system to adjust sides

SIZE » L, M, S, XS
TYPE » RH / LH

COLOR
 White Black

AM001 » ORGANIC WEB



Pink Green Red Cyan Black

AMH01 » SILICON JELLY



White Blue Green Yellow Red Pink Purple

AMR01 » RAINBOW SHIELD



Black White Red Orange Pink Purple Yellow Green SKYBlue Blue

AC20LP | Limb Protector

The device to protect the tip part and your feet when setting up bows.

Size : 56X97 mm
Material : Enamel, Rubber



NANO-XQ™

ARNX001 » NANO XQ ARROW (Recurve & Compound)

Excellent in grouping of arrows with stability and accuracy


Nano XQ, it took more than 3 years testing and developing by Korean national team member, Mr. Jang Young Ho and during testing, we Fivics found the perfect inner diameter to make stability and accuracy between point and shaft, ϕ 3.15

Uniform production makes equal specification and has outstanding arrow grouping and reducing arrow damage rate which is always troublesome of carbon arrow's natural.

Fivics also found new material for Nano XQ arrow and it is MC 46ton carbon which has strong points in accuracy and durability of epoxy resin.

We, Fivics, hereby can tell you that Nano XQ is perfect for Archery competition arrow due to these outstanding reasons.

Shaft Size	Qty	ShWeight(Grain)	Spine	Diameter	Beiter Nock Size
400	12pack	8.71	400	0.211	5.2
450	12pack	8.25	450	0.206	5.2
500	12pack	7.56	500	0.201	1960
550	12pack	7.22	550	0.198	4.92
600	12pack	6.87	600	0.195	4.92
650	12pack	6.44	650	0.192	1880
700	12pack	6.17	700	0.189	1880
750	12pack	6.18	750	0.189	1880
800	12pack	5.70	800	0.185	1800
850	12pack	5.39	850	0.183	1800
900	12pack	5.39	900	0.182	1800
1000	12pack	4.99	1000	0.179	4.5



Stainless Steel Target Point



FIVICS Pin Nock (PI-N)

THOR

ARTH001 » THOR ARROW

Speed and accuracy

There are 5 types of spins for Thor arrow and it would be optimized for 3D and hunting arrow.

Thor is the lightest arrow in the FIVICS's 3D & hunting line and provides excellent speed with pinpoint accuracy. Thor is made with Diamond Weaving which FIVICS has exclusive, innovative carbon cross-weaving material design that drives better spine uniformity, resulting in better accuracy. Thor is the ultimate arrow for archers who want top speed and accuracy.



THPO



THIN



THNOK

Shaft Size	Qty	Stock Lengh inch	Spine
300	12 pack	33"	300
400	12 pack	33"	400
500	12 pack	33"	500
600	12 pack	33"	600
700	12 pack	33"	700

TEN Pro


ARTR001 » TENPRO

Strong durability against wind due to 30ton of carbon applied.

New Tenpro is one of ultra slim arrow designed for recurve shooters and turn off existing Nano-XR's framework. There are lots of functions of arrows in Tenpro, but the most important thing is that it has a strong fortress in the middle part and it allows arrow goes straight way. And also, its own ultra slim shape can reduce the wind and very useful and optimized for FITA, NAA and NFAA long field shooting.

30tons of carbon makes extreme speed, strength and consistence in shooting and there speedy restoration from multi-shooting.

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.002''$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.002''$.



Shaft Size	Qty	ShWeight (Grain)	Spine	Recommended Point Weight ange	Beiter Nock Size
300	12 pack	11.35	300	120g / 1T	2400
400	12 pack	9.62	400	120g / 1T	2300
450	12 pack	9.08	450	120g / 1T	5.7
500	12 pack	8.18	500	120g / 1T	5.7
550	12 pack	7.79	550	120g / 2T	5.48
600	12 pack	7.33	600	120g / 2T	5.4
650	12 pack	6.95	650	120g / 2T	2100
700	12 pack	6.46	700	120g / 2T	2100
800	12 pack	5.88	800	120g / 2T	5.2
900	12 pack	5.57	900	120g / 2T	5.0
1000	12 pack	5.11	1000	120g / 2T	5.0
1100	12 pack	4.95	1100	120g / 2T	1960
1200	12 pack	4.60	1200	120g / 2T	4.92

ZEILO

ARZI001 » ZEILO (Intermediate)

ZEILO is the target arrow for youths. NEW cross weave of pure carbon layer gives it's unequaled strength, even on lightweight pure carbon arrows. This cross-woven method of construction is proven to deliver exceptional strength without adding weight.

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.002''$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.0025''$.



Shaft Size	Qty	ShWeight (Grain)	Spine	Recommended Point Weight Range
500	12 pack	9.22	500	110g / 120g
600	12 pack	8.76	600	110g / 120g
700	12 pack	8.18	700	110g / 120g
800	12 pack	7.61	800	110g / 120g
900	12 pack	7.26	900	110g / 120g
1000	12 pack	6.97	1000	110g / 120g
1100	12 pack	6.72	1100	110g / 120g
1200	12 pack	5.59	1200	110g / 120g
1300	12 pack	6.54	1300	110g / 120g
1400	12 pack	6.26	1400	110g / 120g
1500	12 pack	6.07	1500	110g / 120g

MACH3

ARMC001 » MACH3 ARROW

Beginner **Carbon** Arrow

Size : 400/500/600/700/800/900/1000/1100/1300/1500/1800(11 kinds of spines)
 Shaft only : one dozen/12pcs
 Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point
 Straightness: ± 0.006"



Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	70-80g
500	12 pack	33"	500	70-80g
600	12 pack	33"	600	70-80g
700	12 pack	33"	700	70-80g
800	12 pack	33"	800	70-80g
900	12 pack	33"	900	70-80g
1000	12 pack	30"	1000	70-80g
1100	12 pack	30"	1100	70-80g
1300	12 pack	30"	1300	70-80g
1500	12 pack	30"	1500	70-80g
1800	12 pack	30"	1800	70-80g

NINJA

ARNN001 » NINJA ARROW

Beginner **Carbon Composite** Arrow

Size : 400/500/600/700/800/900/1000/1100/1300/1500/1800(11 kinds of spines)
 Shaft only : one dozen/12pcs
 Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point
 Straightness: ± 0.006"



Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	70-80g
500	12 pack	33"	500	70-80g
600	12 pack	33"	600	70-80g
700	12 pack	33"	700	70-80g
800	12 pack	33"	800	70-80g
900	12 pack	33"	900	70-80g
1000	12 pack	30"	1000	70-80g
1100	12 pack	30"	1100	70-80g
1300	12 pack	30"	1300	70-80g
1500	12 pack	30"	1500	70-80g
1800	12 pack	30"	1800	70-80g

NANO-XQ

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
13-15 lbs.								XQ1000	XQ1000	XQ900	XQ900
16-18 lbs.							XQ1000	XQ1000	XQ900	XQ900	
19-21 lbs.						XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800
22-24 lbs.					XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750
25-27 lbs.				XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700
28-30 lbs.			XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650
31-33 lbs.		XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600
34-36 lbs.	XQ1000	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550
37-39 lbs.	XQ1000	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500
40-42 lbs.	XQ900	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450
43-45 lbs.	XQ900	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400
46-48 lbs.	XQ850	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400	
49-51 lbs.	XQ800	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400		
52-54 lbs.	XQ750	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400			
54-56 lbs.	XQ700	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400				
57-59 lbs.	XQ650	XQ600	XQ550	XQ500	XQ450	XQ400					

TENPRO | ZEILO

TP= TENPRO ZL= ZEILO

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
20-lbs.	ZL1500	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800
22-lbs.	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800
24-lbs.	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700
26-lbs.	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700
28-lbs.	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600
30-lbs.	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600
32-lbs.	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500
34-lbs.	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500
36-lbs.	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450
38-lbs.	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400
40-lbs.	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400
42-lbs.	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300
44-lbs.	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300
46-lbs.	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300	
48-lbs.	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300		
50-lbs.	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300			
52-lbs.	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300				
54-lbs.	TP500 ZL500	TP450	TP400	TP400	TP300	TP300					
56-lbs.	TP450	TP400	TP400	TP300	TP300						

NC001S FIVICS Pin Nock(S)
NC001L FIVICS Pin Nock(L)

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.
 Size: S / L
 Color:



Available in two size: #1 fits 12-18 strand strings
 #2 fits 20-24 strand strings

FIVICS ARCHERY GLUE



AC01F EZ FLETCHER


EZ Fletcher is designed for putting vanes on a shaft very easily.
 -automatic shaft holding system,
 - angle control system
 - magnetic system
 - detailed adjustment system

FEATURE
MATERIAL: Aluminum
SIZE: 124 x 124 x 220
COLOR: Black



ST001S » AUTOMATIC (SHORT)
ST001L » AUTOMATIC (LONG)
 BOW STAND

Height: 44cm [ST001S], 65cm [ST001L]
Weight: 573g [ST001S], 680g [ST001L]
Material: Aluminum



AC23PU » FIVICS PULL



AC24STF » FIVICS STRINGER



AC23SL » SLING



CLOTHES

Size : XS / S / M / L / XL / XXL



AC29JB / AC29JW



AC29JY



AC29R



AC29G

CAPS



NAVY White AC12CA



Red Black AC13CA



NAVY White AC15CA



NAVY White AC14CA

AC26GS » COOL ARM SLEEVE



AC17SO » FIVICS LOGO SOCKS(3PAIRS=1SET)



AC25UMBL » UMBRELLA

length : 1m
opened size : 1m 60cm




AC25UMBS » MINI UMBRELLA

length : 55cm
opened size : 1m 10cm



AC29DA » LED DART



AC04CL » CLOCK






ASIA ONLY ONE WA TARGET FACE
LICENSED MANUFACTURER




**PERPECT
TARGET FACE**

TARGET FACE


OUTDOOR TARGET FACE




PT 001 OUTDOOR 122cm Target Face
Range : 90m / 70m / 60m
Mark dimension : 122cm X 122cm
Total dimension : 125cm X 125cm (width/length)



PT 002 OUTDOOR 80cm Target Face
Range : 50m / 30m
Mark dimension : 80cm X 80cm
Total dimension : 83cm X 83cm (width/length)



PT 003 OUTDOOR 60cm Target Face
Range : 25m
Mark dimension : 60cm X 60cm
Total dimension : 63cm X 63cm (width/length)




PT 004 OUTDOOR 40cm Target Face
Range : 18m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)


OUT/INDOOR TARGET FACE



PT 005 OUTDOOR 40cm-5ring Target Face
Range : 30m / 20m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)




PT 006 OUTDOOR Triangular Target face(5Line)
Range : 30m / 20m
Mark dimension : (40cm-Center X 3Target)
Total dimension : 85cm X 85cm (width/length)




PT 007 OUTDOOR Target face(5Line)
Range : 30m / 20m
Mark dimension : (40cm-Center X 4Target)
Total dimension : 93cm X 85cm (width/length)



PT 007A OUTDOOR 48cm-6ring Target Face
Range : 50m
Mark dimension : 48cm X 48cm
Total dimension : 51cm X 51cm (width/length)



PT 007A3 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 3Target)
Total dimension : 99cm X 98.5cm (width/length)



PT 007A4 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 4Target)
Total dimension : 102cm X 105cm (width/length)




Waterproof




ASIA ONLY ONE WA TARGET FACE
LICENSED MANUFACTURER


INDOOR TARGET FACE




PT 008 INDOOR 20cm Target Face(18m)
Range : 18m
Mark dimension : 20cm X 3 Target
Total dimension : 23cm X 67cm (width/length)



PT 009 INDOOR Single Target Face
Range : 18m
Mark dimension : 40cm X 4 Target
Total dimension : 93cm X 85cm (width/length)



PT 011 INDOOR 20cm Triangular Triple Target Face
Range : 18m
Mark dimension : 20cm X 3 X 12 Target
Total dimension : 97cm X 85cm (width/length)



PT 010 INDOOR 12cm Target Face(18m)
Range : 18m
Mark dimension : 20cm X 12 Target
Total dimension : 103cm X 67cm (width/length)


TRAINING TARGET FACE




PT 012 TRAINING 80cm-CenterSpot Target Face(8Line)
Range : 50m/30m/20m
Mark dimension : 24cmX24cm
Total dimension : 32cmX32cm(width/length)



PT 013 TRAINING 122cm-CenterSpot Target Face(7Line)
Range : 90m/70m/60m
Mark dimension : 48.8cmX48.8cm
Total dimension : 61cmX61cm(width/length)




PT 020 TRAINING Target Face
Mark dimension : 52mmX52mm
Total dimension : 282mmX238mm(width/length)



PT 021 TRAINING Target Face
Mark dimension : 48mmX48mm
Total dimension : 250mmX231mm(width/length)


FIELD TARGET FACE



PT 014 FIELD 80cm Target Face
Mark dimension : 80cmX80cm Target
Total dimension : 83cmX83cm(width/length)




PT 015 FIELD 60cm Target Face
Mark dimension : 60cmX60cm Target
Total dimension : 63cmX63cm(width/length)



PT 016 FIELD 40cm Target Face
Mark dimension : 40cmX40cm
Total dimension : 93cmX85cm(width/length)

ACADEMIC TARGET FACE



PT 017 OUTDOOR Target Face
Range : 70m
Mark dimension : 97.2cmX97.2cm
Total dimension : 103cmX103cm(width/length)

PAG001 | PERFECT SCORE SHEET



Name : Perfect score sheet
Total dimension : A4(21 X 29.7)
Applicable under any weather condition
Ink not smudged

* Blank page only
- You should print the score information or chart on the paper when you receive it.



ASIA FIRST WA TARGET FACE LICENSED MANUFACTURER



ATTACK

BACKPACK

ATTB001 » ATTACK BACKPACK

- 57L wide pocket
- 3way transformation
- Tactical design
- Modular lightweight Load-carrying equipment
- Multi carrier
- Safe inner protection
- Not only archery, but also your daily life



ATTACK

POUCH

ATTB002 » ATTACK SCOPE POUCH

- MOLLE SYSTEM POUCH
- Size » 500x150



ATTB005 » ATTACK STABILIZER POUCH

- MOLLE SYSTEM POUCH
- Size » 880x75mm



ATTB003

Size » 220x45x180



ATTB004

Size » 150x45x155



EC04 » FIVICS ARROW TUBE



ATTACK

COMPOUND BOW CASE



ATCS001 » COMPOUND BOW CASE

- Perfect protection of your bow
- Enough space for all of your equipments
- Moving free
- Room for one compound bow

Dimension : 15" X 45" X 6.5"

***Recommended maximum weight : 23kg**



Pocket+Arrow tube + Rain cover included

ATTACK

RECURVE BOW CASE



ATRS001 » RECURVE BOW CASE

- Perfect protection of your bow
- Enough space for all of your equipments
- Moving free
- Room for one recurve bow

Dimension : 14" X 36.5" X 7"

***Recommended maximum weight : 23kg**



Arrow tube + Rain cover included

ATTACK

EASY COMPOUND BOW CASE



ATE001 »
EASY COMPOUND BOW CASE



ATTACK

X500 TROLLY BAG

ATLLO01 »
X500 TROLLY BAG
Enough sapce for bow and accessories



ATTACK

EASY RECURVE BOW CASE

ATE002 »
EASY RECURVE BOW CASE



ATB001 »
COACH BACKPACK
Protect your extra equipment





KROSSEN
ARCHERY

**TOTAL PERFORMANCE
PRECISION-MADE**  **KROSSEN**

Krossen is pursuing the vision of becoming a true global archery leader attracting archers worldwide through its innovative products and design. To achieve this, we have embraced the idea of "Great Company, Great People", recognizing that only great people can create a great company.

ONLY 1,100 GRAMS FOR RISER

XENIA™

HX0325 » XENIA RISER

- The lightest weight
- Only 1,100grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » **DIE-CASTING**
 WEIGHT » **1,100g**
 MATERIAL » **Aluminum**
 TYPE » **RH/LH**
 GRIP » **Plastic**
 COLOR » **Painted**
 LENGTHS » **25"**

25"



Phantom Black Pola White Fiery Red Cobalt Blue Green

NEW DESIGNED TIP PART

XENIA™

LXW03 » XENIA LIMBS

- Modern design
- New designed tip part

MATERIAL » **Fiber Glass**
 CORE » **Wood**
 BOW LENGTH » **66",68",70"**
 DRAW WEIGHT(lbs.) » **16#-38#**

**66,68,
70 INCHS**

**16-38
POUNDS**



X-Fiber Glass
 Wood
 Wood
 X-Fiber Glass

SCORPION



SG01 » SCORPION SIGHT

RH and LH both

Size » Extention 7"
MATERIAL » Aluminum

XENIA™



SG02 » XENIA SIGHT


RH and LH both

Size » Extention 4"
MATERIAL » Aluminum



SG04 » BLACK SHARK SIGHT

Size » Extention 5"
MATERIAL » Polypropile
TYPE » RH/LH





HYPER

- STHL01 » HYPER LONG STABILIZER**
- STHS01 » HYPER SIDE STABILIZER**
- STHE01 » HYPER EXTENDER**

- Upgraded material
- Refined design
- Weight & damper included

MATERIAL » **CARBON**
 Diameter » **18mm**
 LENGTH » **Long : 26",28",30"**
 » **Side : 9",10",11"**
 » **Extender : 3",4",5"**

VBXE01 » XENIA V-BAR
 Angle: 40°



XEDA01 »
XENIA DAMPER



XEWH01 »
XENIA WEIGHT



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



XENIA™

- STL01L » XENIA LONG STABILIZER**
- STL01S » XENIA SIDE STABILIZER**
- STL01E » XENIA EXTENDER**

- Refined design
- Weight & damper included

MATERIAL » **CARBON COMPOSITE**
 Diameter » **17mm**
 Weight » **116g(30"), 65g(12")**
 LENGTH » **Long : 26",28",30" / Side : 10",12" / Extender : 3",4"**

VBXE01 » XENIA V-BAR
 Angle: 40°



XEDA01 »
XENIA DAMPER



XEWH01 »
XENIA WEIGHT



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)

LEOC001 »
XENIA LED CUSHION PLUNGER



KP001 » KP REST



XECL001 » XENIA CLICKER



CG06XE »
XENIA CHEST GUARD


SIZE » XL, L, M, S, XS
TYPE » RH / LH



XENIA™



AMSP01 » ARM SUPPORTER



XENIA™
STXE01 »
XENIA STAND

- Stability
- Perfect balance
- Magnetic System

HEIGHT » 44cm
MATERIAL » Aluminum



STG001 »
GABO STAND

HEIGHT » 44cm
MATERIAL » Aluminum



COLOR
Black



FABRIC ARMGUARD



AMW01 »
WEARABLE ARM GUARD
SIZE » L, S



HYPER

HPT01 » HYPER FINGER TAB

PLATE MATERIAL » Aluminum
LEATHER » Cordovan
SIZE » S, M, L



LFTJ01 » XENIA JM1

SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



LFTJ02 » XENIA JM2

SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



LFTCN01 » NEONINE A

SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



MAGIC

SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



LFTG01 » XENIA GLOVE FINGER TAB

SIZE » L / M / S (RH / LH)





HYPER

XEB01BB » HYPER Recurve backpack



XEB02CM » CAM PROTECTOR



HYPER

XEB04CS » HYPER Compound soft case



HYPER

XEB05RS » HYPER Recurve soft case



XENIA™

HYPER

XEQV01 » HYPER Quiver



HYPER

XEQV02 » HYPER Back Quiver



XEQV03 » XENIA Quiver
RH and LH both



XEQV04 » XENIA K300 Quiver
RH and LH both



XEQV05 » XENIA K200 Quiver
RH and LH both



RECURVE RISER

TITAN X2 RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Anodized & Painted)
25"	1,315g	Aluminum(6061)	RH / LH	Anodized Phantom Black, Purple, Cobalt Blue, Yellow, Fiery Red Painted Pola White, Hot Pink
27"	1,330g		RH / LH	

GLADIUS SRV RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
25"	1,260g	Aluminum(6061)	RH / LH	Phantom Black, Purple, Cobalt Blue, Fiery Red, Pola White, Hot Pink

VELLATOR RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Anodized)
23"	1,060g	Aluminum(6061)	RH / LH	Phantom Black, Tan Brown, Cobalt Blue, Fiery Red, Pola White, Hot Pink
25"	1,100g			

XENIA RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
25"	1,100g	Aluminum	RH / LH	Phantom Black, Cobalt Blue, Fiery Red, Pola White, Green



TITAN X2

GLADIUS SRV

VELLATOR

XENIA

RECURVE LIMBS

TITAN WOOD CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Wood / Double angled Full Carbon	28# ~ 50#	66", 68", 70"

TITAN FOAM CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Foam / Double angled Full Carbon	28# ~ 50#	66", 68", 70"

GLADIUS SRV FOAM CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Foam / UD Carbon	28# ~ 46#	66", 68", 70"

VELLATOR WOOD CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Wood / UD Carbon	28# ~ 46#	66", 68", 70"

XENIA WOOD CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Wood / Fiber Glass	16#~38#	66", 68", 70"



TITAN WOOD

TITAN FOAM

GLADIUS SRV FOAM

VELLATOR WOOD

XENIA WOOD





Address » 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea
Tel » +82-31-245-6388 Fax » +82-31-245-6386 E-mail » info@fivics.com



Follow us on Twitter!
<https://twitter.com/FIVICSARCHERY>



Like us on Facebook!
<https://www.facebook.com/fivics.korea>



Subscribe to us on YouTube!
<https://www.youtube.com/user/fivicskorea>

Note: At the time of production of our 2016 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, Fivics reserves the right to notify our dealers and customers at its discretion. Additionally, Fivics reserves the rights to modify, change or discontinue products shown in this publication without notice. Before using bows and other archery equipment, read all safety guidelines and warnings in the owner's manual or Online at www.fivics.com.



For more information visit us online at
www.fivics.com

FIVICS BOW

LIMITED LIFETIME WARRANTY

Fivics recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.