

For more information visit us online at www.fivics.com.




2015 PRODUCT GUIDE

42, Gwongseon-ro 668beon-gil, Gwongseon-gu, Suwon-si, Gyeonggi-do, Korea
Tel. +82-31-245-6388 Fax. +82-31-245-6386 E-mail: info@fivics.com



FIVICS





FIVICS
MOMENT OF VICTORY

"The products which is considered the future after 100years" (All-time value)

Endless researching and testing for the archery is Fivics's sprit. Please enjoy using of new high technology equipment from Fivics!

Story of Archery Café

January, 2015, Fivics has launched Archery Café for sharing, enjoying and communicating the archery in the special place.

- Symbol : Archery + Café
- Harmony : Opened for not only shooter but also anybody
- Environment : All equipments here
- Principle : Integrity, accuracy, standard, communication and public



Archery Café





HT0525 | TITAN 25" RISER

**New revolution of shooting feeling!
The best bow speed!**

2015 Fivics TITAN PLUS RISER is adjusted and developed unnecessary movement during shooting moment and has found the top bow speed by controlling the strength, angle, weight of riser.

One shoot, you can feel it is true!



Specification

LENGTHS	25" High Quality Anodizing
MATERIAL	Aluminum(6061)
WEIGHT	1315g
TYPE	RH / LH
GRIP	Normal
COLOR	BLACK, BLUE, PURPLE, PINK, RED (Anodizing) YELLOW, GREEN



ANODIZING



Center control system

The center control system in TITAN PLUS RISER makes much stable and accuracy in the shooting by using of 7mm tightening screw. And also, 7mm special designed screw prevents loosening easily as well.

Easy clicker extension and rest line

You may check the scale of guide line which is located in clicker extension and check it as you wanted. It will show your best shooting chance. There is another scale of guide line for rest and you may find your best position of rest.



Ideal grip

It provides shooter with exact pressure point during shooting and you can feel how comfortable and stable postures are generated.

Weight and damper control system

Special designed inner hole for weight and damper.



PT PLATINA

UPGRADE

HP0425 | PLATINA 25" RISER

- CNC cutting production
- Hard anodizing surface
- Two types of length
- Triple damping system
- Easy clicker extension
- Comfortable rest line




Specification

LENGTHS	25" HARD ANODIZING
MATERIAL	Aluminum(6061), BTR300 Rubber
WEIGHT	1,320g
TYPE	RH / LH
GRIP	Normal
COLOR	BLACK, BLUE, KHAKI, GRAY, RED
(HardAnodizing)	



HARD ANODIZING

Riser



Simple and easy to adjust the center of riser and limbs

You can adjust the center-shot easily without un-stringing the bow. There are three special designed bolts and you just need only screw which is included.

Easy clicker extension and rest line

You may check the scale of guide line which is located in clicker extension and check it as you wanted. It will show your best shooting chance. There is another scale of guide line for rest and you may find your best position of rest.



Ideal grip

It provides shooter with exact pressure point during shooting and you can feel how comfortable and stable postures are generated.

Triple damping system

Triple dampers which are located in the center of grip and inside of upper and lower caps can reduce vibration and noise during shooting.



FX1

HF0260N | Fx1 6061 RISER
HF0260H | Fx1 HIGH GRIP 6061 RISER

- CNC cutting production
- Two types of materials
- Two types of grips
- Triple damping system
- Clicker extension



Specification

LENGTHS	25"
MATERIAL	Aluminum(6061), Rubber
WEIGHT	1,290g
TYPE	RH / LH
GRIP	Normal, High
COLOR	BLACK, BLUE, RED, YELLOW, GREEN,
(Painted)	PINK, WHITE



SRV

Riser

HS0125 | SRV ALUMINUM 25" RISER
HS0123 | SRV ALUMINUM 23" RISER

- CNC cutting production
- Two types of length
- Triple damping system
- Clicker extension
- Comfortable rest line



Specification

LENGTHS	23", 25"
MATERIAL	Aluminum(6061), Rubber
WEIGHT	23" 1,220g / 25" 1,280g
TYPE	RH / LH
GRIP	Normal
COLOR	BLACK, BLUE, RED, YELLOW, GREEN,
(Painted)	PINK, WHITE





NEW
LTP012C | TITAN WOOD CORE LIMBS

ARC TECHNOLOGY !
3K FULL CARBON TECHNOLOGY !


2015 FIVICS TITAN LIMBS is made from 3K carbon material with flaxpreg method which has much elastic force and is applied epoxy resin which has much strong adhesion.

TITAN WOOD CORE has improved the adhesion between carbon and wood, therefore, there is no distortion of limbs whatever you shoot and it can make stable production. This is the result what Fivics has tested and studied the thickness of wood, elastic force and found the excellent weight of limbs.


TITAN WOOD CORE has also found the excellent angle and width of limbs to make uniform pound and constant shooting after testing a lot. Therefore, you may find smooth feeling when you draw string and after shooting without vibration.

Specification

Bow Length : 66", 68", 70"
Draw Weight (lbs.) : 28# - 48#



TECHNOLOGY



NEW
LTW01C | TITAN FOAM CORE LIMBS

ARC TECHNOLOGY !
3K FULL CARBON TECHNOLOGY !


2015 FIVICS TITAN LIMBS is made from 3K carbon material with flaxpreg method which has much elastic force and is applied epoxy resin which has much strong adhesion.

TITAN FOAM CORE is made by considering and examining of foam itself's durability and elasticity. It has also improved the adhesion between carbon and foam, therefore, there is no distortion of limbs whatever you shoot and it can make stable production.


TITAN FOAM CORE has found the excellent angle and width of limbs to make uniform pound and constant shooting after testing a lot. Therefore, you may find smooth feeling when you draw string and after shooting just without vibration.

Specification

Bow Length : 66", 68", 70"
Draw Weight (lbs.) : 28# - 48#



TECHNOLOGY




MERIDIAN Fx1



FORCE-DRAW CURVE

FIVICS "MERIDIAN Fx1 / MERIDIAN Rx1" Limbs medium length (66")
 Max 40.3 lbs @ 28" / 30" / 32"



Limbs



MERIDIAN Rx1


LFX01C | MERIDIAN-Fx1 LIMBS

- Multi carbon technology
- Premium wood



Specification

Available Lengths : 66" 68" & 70"
 Available weights : 28# ~ 48#



LRX01C | MERIDIAN-Rx1 LIMBS

- Multi carbon technology
- Premium foam



Specification

Available Lengths : 66" 68" & 70"
 Available weights : 28# ~ 48#



PEGASUS

LPG01W | PEGASUS LIMBS


- Multi carbon technology
- Wood core



Specification

Available Lengths : 66" 68" & 70"

Available weights : 28# ~ 48#



2013 THE 24th Korean national elementary school archery competition
360 PERFECT SCORE ! KIM SEON WOO

BLAZE

HW001S | BLAZE WOODEN BOW SET

This is produced based on stability and convenience for beginners especially its grip is designed to shoot easily.

TYPE : RH / LH

Specification

Handle	19", 20", 24"
Limb	54", 62", 64", 66", 68", 70"
Pound	10~24 / 14~36 / 16~38 / 12~34 / 14~36 / 18~38
Material	Hard maple, Rosewood, Walnut, fiber glass



UPGRADE

TOP SAVER

LIMBS DAMPER SYSTEM



BACK

FRONT



DTS001 | TOP SAVER

Fivics's top saver is located in the point which vibration starts, so it can reduce the vibration immediately compared to existing one.

Weight : Front 5.7g / Back 4.7g



1. Back

2. Front

3. Front+Back



Stabilizers

CEX1900 STABILIZER SYSTEM

NEW

- STC19L** CEX1900 LONG STABILIZER
- STC19S** CEX1900 SIDE STABILIZER
- STC19E** CEX1900 EXTENDER

- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top

Diameter : 19mm
 Extender diameter : 21mm
 Weight : 130g(30"),86g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT SERIES

Diameter : 20mm



WTF Weight : 26g
WTS Weight : 22g
WTH Weight : 40g



DVZ1000 |
V-ZERO DAMPER

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)

CEX2000 STABILIZER SYSTEM

Stabilizer

- STC20L** CEX2000 LONG STABILIZER
- STC20S** CEX2000 SIDE STABILIZER
- STC20E** CEX2000 EXTENDER

- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Internal thickened extender
- Absorbing noise system
- Non-slip
- Stabilizer screw top

Diameter : 20mm
 Weight : 148g(30"),100g(12")

Long Stabilizer	26", 28", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



CEX2000 WEIGHT

Diameter : 23mm



WTCX1 thickness : 11.8 Weight : 30g
WTCX2 thickness : 21.0 Weight : 60g
WTCX3 thickness : 30.0 Weight : 90g
WTCX4 thickness : 39.0 Weight : 120g
WTCX5 thickness : 48.5 Weight : 150g
WTCX6 thickness : 57.4 Weight : 180g

DVZ005 | CEX2000 DAMPER



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



PHOENIX

UPGRADE

STP01L | PHOENIX LONG STABILIZER
STP01S | PHOENIX SIDE STABILIZER
STP01E | PHOENIX EXTENDER

- Both recurve & compound
- High elastic cross carbon
- Removing weight all at once
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Stabilizer screw top
- Internal thickened extender

Diameter : 22mm
 Weight : 152g(30"), 90g(12")

Long Stabilizer	24", 27", 30", 33"
Side Stabilizer	10", 11", 12", 15", 17"
Extender	4", 5", 6"



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



PHOENIX Gear

REV CARBON STABILIZER SYSTEM

UPGRADE

STG01L | GEAR2000 LONG STABILIZER
STG01S1 | GEAR2000 FIELD STABILIZER
STG01S2 | GEAR2000 FIELD STABILIZER

- High elastic cross carbon
- Special designed rubber damper
- Special desinged rubber grip
- Non-slip
- Double damper system
- Special rubber coating(absorbing additional vibration)
- Easy to be detached from handle by using of rubber coating
- Stabilizer screw top

Diameter : 20mm
 Weight : 540g(30"), 480g(12")

* Two weight damper included and full set basis

Long Stabilizer	24", 27", 30"
Field Stabilizer	10", 12", 15"



GEAR 2000 WEIGHT
 Diameter : 35mm



WTGE2
 Weight : 95g

WTGE3
 Weight : 85g

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



Stabilizer



STC07L | CEX7 LONG STABILIZER
STC07S | CEX7 SIDE STABILIZER
STC07E | CEX7 EXTENDER

- Carbon multilayer
- Carbon balance system
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Internal thickened extender

Diameter : 18.7mm
 Weight : 128g(30"), 86g(12")

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT SERIES

Diameter: 20mm



WTF Weight : 26g
WTS Weight : 22g
WTH Weight : 40g



DVZ1000 | V-ZERO DAMPER



Silver Red

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)



STC05TL | CEX5 LONG STABILIZER
STC05TS | CEX5 SIDE STABILIZER
STC05TE | CEX5 EXTENDER

- UD and Carbon multilayer
- Shooting balance system
- Attaching the weight as much as you need by using of special designed aluminum cap
- Absorbing noise system
- Internal thickened extender

Diameter : 18.5mm
 Weight : 144g(30"), 104g(12")

Long Stabilizer	26", 28", 29", 30", 34"
Side Stabilizer	10", 11", 12"
Extender	4", 5", 6"



WT5F Weight : 36g
WT5H Weight : 50g

WT5 SERIES
 Diameter : 23mm

DVZ1500 | VZ1500 DAMPER



DVZ001M | V-ZERO MINI-DAMPER



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to us the above in advance)

Stabilizer



Black Silver Red Blue

MAXPRO

- STM01L** | MAXPRO LONG STABILIZER
- STM01S** | MAXPRO SIDE STABILIZER
- STM01E** | MAXPRO EXTENDER

- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

Diameter : 18.5mm
Weight : 130g(30"),78g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	9", 10", 12"
Extender	3", 4", 5"



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to use the above in advance)



Orange Blue Red Black

LVT CARBON

UPGRADE

- STL01L** | LVT LONG STABILIZER
- STL01S** | LVT SIDE STABILIZER
- STL01E** | SOMA LVT EXTENDER

- Absorbing shock system
- Available accessories only for LVT
- stabilizer + damper + weight head

Diameter : 17mm
Weight : 116g(30"),65g(12")

Long Stabilizer	26", 28", 30"
Side Stabilizer	10", 12"
Extender	3", 4"



* Suitable weight(All weight can be used for other stabilizers, but we recommend you to use the above in advance)



Stabilizer

UPGRADE
DVZ1500 | VZ1500 DAMPER

Butyl-rubber with several colors
Weight : 38g



1S45S16S



*Applicable for all dampers

DVZ2000 | VZ 2000 DAMPER

Weight : 50g




DVN001 | N-SHOCK DAMPER

Size : 39 x 20 x 20mm Material : Aluminum, Rubber Weight : 24g



DWD001L | WEIGHT DAMPER (L)
DWD001S | WEIGHT DAMPER (S)



NEW
3HWF | Hunting weight flat

Easy attached or detached weights from Hunting weight flat and included flat(1pcs), head bolt(1pcs) and bottom bolts(3pcs)



AL-COLOR WEIGHT

Diameter : 23mm, 20mm
Material : Aluminum+Stainless



WTAL1H Diameter : 23mm Weight : 44.3g
WTAL1F Diameter : 23mm Weight : 25g
WTAL2H Diameter : 20mm Weight : 31.5g
WTAL2F Diameter : 20mm Weight : 18.2g

PHOENIX WEIGHT

Diameter : 30mm
Material : Stainless



CONNECTING WEIGHT



WTC1 Diameter : 23mm Weight : 38g
WTC2 Diameter : 23mm Weight : 56g
WTC3 Diameter : 23mm Weight : 36g

VBTR01 TRS V-BAR

The system to transfer front/back energy
 Angle : 40° / 45°
 Material: Aluminum



VBD01 DP V-BAR

The system controls balance of left/right weights
 Angle : 40° / 45°
 Material: Aluminum



**UPGRADE
 VBAC01
 COM V-BAR**

Material: Aluminum



**UPGRADE
 VBCC01 COM CONNECTING BOLT**

Material: Aluminum



VBM01 MAN V-BAR

Angle : 40° / 45°
 Material: Aluminum



VBT01 TR V-BAR

Adjustable 360°
 Horizontal and vertical adjustable system
 Easy to use

Material: Aluminum



VBU01 UNI-BAR

Material: Aluminum



VBRF01 RF V-BAR

Light and durable.
 A perfect combination for balanced shooting

Angle : 40° / 45°
 Weight : 75g
 (Connecting bolt included)
 Material: Aluminum



NEW
TNG100
GEAR UPSTABILIZER



TNS300
Weight : 106g



UPGRADE
TNV 2300



TNV 1600



SQE | SQ EXTENDER

Including stainless bar with rubber and aluminum cap on the external wall. Useful item for compound bow

Weight : 155g



TOP UPSTABILIZER TNS SET

Versatile vibration reduction system design and material Available in a variety of colors



TNS100AL
Weight : 90g



TNS500AL
Weight : 95g

TNC20 | CEX 2000 UPSTABILIZER

Weight : 84g



NEW
TNG110
GEAR UPSTABILIZER



FV200 | FV-200 CARBON SIGHT

- There is no any noise and vibration because of the 3HD system and unique drawing locking system.
- Separable sight pin make easy when move

SIZE Extention 9 inches
RH /LH



FV100 | FV-100 CARBON SIGHT

- There is no any noise and vibration because of the 3HD system and unique drawing locking system.

SIZE Extention 9 inches
RH /LH




SG02 | SCORPION SIGHT

SIZE Extention 9.5"
RH /LH
Material: Aluminum



SG04 | BLACK SHARK SIGHT

SIZE Extention 6"
RH /LH
Material: Polypropile



SG01 | FALCON SIGHT

SIZE Extention 4"
RH /LH
Material: Polypropile



UPGRADE SGP01 | COLOR SIGHT PIN (SQUARE)



UPGRADE SGP02 | COLOR SIGHT PIN (ROUND)



FVICS SIGHT



SIGHT CASE SGC02 | A+ Style

Size : 12.3"X8"X2.5"

COLOR



SGC04 C Style

COLOR



SM740 | CUSHION PLUNGER

Internal design of the micro adjusting device and aeromechanical design which minimizes the effect of the wind
The smooth and simple and easy control system



Thread : 5/16" - 24
Adjustable Length : min 19.5mm, max 26.5mm



SM540 | CUSHION PLUNGER

Minimizes the gap by removing movement which is unnecessary for the pressure point.

Thread : 5/16" - 24
Adjustable Length : min 19.5mm, max 26.5mm



LEOC001 | LEO CUSHION PLUNGER



COLOR
Black Silver

TCS001 | TC REST
Height adjustable high-end stainless steel rest.



MRS001 | MR REST
Stainless steel ensured durability while reducing friction.



NEW BRS001 | BUTTERFLY REST
Ambidextrous Design



Finger Tabs

NEW **SAKER+^{EP}**



SFT04A | Saker+ Plus finger tab.


- > Weight control system
- > Angle adjustment system

Saker+ Plus finger tab has 6mm of thickness and added ① weight control and ② angle adjustment system by using of precisely machining aluminum plate.

Saker+ Plus finger tab can be adjusted depending on individual characteristics and allows more stable hooking position and it makes possible to shoot perfectly in any competition.

And also, it is very easy to cover the special parts for the thumb and little finger. We have considered only shooter's convenience and individual characteristics always.

Saker+ Plus finger tab's spacer is designed for the bending of the shaping as well it looks like the elephant-shape and makes comfortable for shooters.



Fivics is using high quality cordovan leathers only which is provided by H company with one hundred years history in U.S.A

Finger Tab

Angle adjustment system



EP : Published on WA's rule book!!

Like an elephant's movement and weight, Fivics's EP is applied their magnificent appearance. Since Saker tap's EP was approved by WA, 2012, EP system has published on WA's rule book in 2014. Fivic has been continually studying and developing archery goods just for shooter's higher score only.

Weight control system



Cover the special parts for the thumb and little finger



POLITE SERIES



reddot award 2014
winner



1. The most excellent quality finger tab in the world.
2. Emphasizes the sense of unity in your hands.
3. Absolute stability, accuracy, and sense of unity of hooking
4. 5 Distribution and support of the optimal force by using the whole fingers
5. Ergonomic 3D design
6. Aluminium & anodizing surface treatment
7. The best quality leather "G3 SYSTEM" G1- High Quality Cordovan, G2-Hyperon, G3 Cowhide leather (NEW G2 hyperon rubber is the waterproof sheet and has excellent performance for preventing slip between leathers and protecting fingers.)

Finger Tab

POLITE 3 CARE

PFT03 POLITE 3 FINGER TAB

COLOR

L	M	S	XS
Blue	Red	Yellow	Purple



POLITE 2 CARE

PFT02 POLITE 2 FINGER TAB

COLOR

L	M	S	XS
Blue	Red	Yellow	Purple



SAKER

Finger Tab



Ergonomic design
Adjustable ledge
Replaceable face and backing
Optional finger spacer available

BFT01A
BRASS SAKER 1
Size: L / M / S (RH / LH)
Weight: L 162g, M 152g, S 144g
Leather: Cordovan



BFT02A
BRASS SAKER 2
Size: L / M / S (RH / LH)
Weight: L 150g, M 140g, S 136g
Leather: Cordovan



CFT01A
CARBON SAKER 1
Size: XL / L / M / S / XS / XXS (RH / LH)
Leather: Cordovan



CFT02A
CARBON SAKER 2
Size: XL / L / M / S / XS / XXS (RH / LH)
Leather: Cordovan



CFT03A
CARBON SAKER 3
Size: L / M / S (RH / LH)
Leather: Cordovan



SFT01A | **SAKER 1**
Size: XL / L / M / S / XS / XXS (RH / LH)
Leather: Cordovan



COLOR
XL L M S XS XXS
Dark Blue Blue Red Yellow Purple Dark Green

SFT02A | **SAKER 2**
Size: XL / L / M / S / XS / XXS (RH / LH)
Leather: Cordovan



COLOR
XL L M S XS XXS
Dark Blue Blue Red Yellow Purple Dark Green

SFT03A | **SAKER 3**
Size: L / M / S (RH / LH)
Leather: Cordovan



COLOR
L M S
Blue Red Yellow



LFTC02 | **CLOVER**
Size: L / M / S (RH / LH)
Leather: Cowhide



LFTCN01 | **NEONINE A**
Size: L / M / S (RH / LH)
Leather: Cowhide
COLOR
L M S
Blue Red Yellow



LFTCN02 | **NEONINE B**
Size: L / M / S (RH / LH)
Leather: Cowhide



LFTS01 | **SPORTER**
Size: L / M / S (RH / LH)
Leather: Cowhide



LFTM01 | **MAGIC**
Size: L / M / S (RH / LH)
Leather: Cowhide



EP001 | SAKER 1 FINGER TAB FRAME EP

EP001 only fit Saker 1 finger tab
It offers top shooters another value for their hooking direction, comfortable and balanced.
This component enhances the saker finger tab's Ergonomic design




Size : saker1 XL , L = EP (L size)
saker1 M , S = EP (M size)
saker1 XS , XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014

FINGER SPACER



FS004D

Material : Rubber
Size : 39.8 x 29.3 x 16.2mm
Weight : 14g
COLOR



FS004S

Material : Rubber
Size : 32 x 28 x 12.4mm
Weight : 10g
COLOR



FS001

Material : Plastic
Size : 36 x 28.3 x 12.3mm
Weight : 8g



FS005

Material : Brass
Size : 36.3 x 27.3 x 10.2mm
Weight : 56g



NEW FS006

Material : Aluminum
Size : 40 x 29 x 10mm
Weight : 15g



FS002

Material : Rubber
Size : 37.4 x 26 x 11.5 mm
Weight : 12g



BCHD01 | AEGIS HARDCASE (RECURVE)

High quality hardcase
This model can hold up to two recurve bows and their accessories

Size : 33"X 15"X 10"
Material : ABS
Pocket : 1pcs

COLOR

 Black Silver Blue Red Pink



*Recommended maximum weight : 23kg



BCHD01
HARDCASE RAIN COVER



BCHD01
HARDCASE BELT

Rain cover / Case belt included



THUNDER SERIES



BCR930D

RCD930 (DOUBLE)

Room for two recurve bows
Dimension : 14"X 36.5"X 12"

BCR930S

RCS930 (SINGLE)

Room for one recurve bow
Dimension : 14"X 36.5"X 7"

BCC1250D

CCD1250 (DOUBLE)

Room for two compound bows
Dimension : 15"X 45"X 12"

BCC1250S

CCS1250 (SINGLE)

Room for one compound bow
Dimension : 15"X 45"X 6.5"

*Recommended maximum weight : 23kg



Pocket+Arrow tube + Rain cover included

TROLLEY BACKPACK X SERIES

BCTX500 | X-500

TROLLEY BACKPACK

Dimension : 27"x13.5"x9"

BCTX300 | X-300

TROLLEY BACKPACK

Dimension : 22"x13"x8"

Trolley bag
Well-arranged pockets
Room for one bow and accessories



BCTB01 TRAVEL BIGBAG

It is very convenient to use it as you can pull it and carry it on your shoulders because storage space for shoes, clothes, etc. is well arranged.



V-STORM SERIES

Case



BCG1200 | G1200

Size : 47" Pocket : 2pcs

BCG980 | G980

Size : 38" Pocket : 2pcs



BCC47B | V-STORM CC (47")

BCC38S | V-STORM CC (38")



NEW BCC47BC | V-STORM BC (47")

NEW BCC38SC | V-STORM SC (38")



BCR500B | V-STORM RC500

Size : 36" Pocket : 2pcs

BCR300S | V-STORM RC300

Size : 36"



UPGRADE
BCB02TM
TENTRON-M
BACKPACK

Size: 11.8"X 7.8"X 26.7"
Pocket: 1pcs



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included
- + Rain Cover



Black Blue Red



UPGRADE
BCB1400S
TENTRON-K100
BACKPACK



- + Arrow tube
- + Riser & Limbs case included



Red Blue Black Gray



UPGRADE
BCB1600S
TENTRON-K200
BACKPACK



- + Arrow tube
- + Riser & Limbs case included
- + Rain Cover



Pink Blue Navy Gray



UPGRADE
BCB01CS
CO-STAR
BACKPACK

Size: 11.8"X 7.8"X 26.7"
Pocket: 1pcs



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included



Black Blue Red

UPGRADE
BCB05TJ
TENTRON-J



UPGRADE
BCBG30
G30



Extra Case

EC03 TOOL BOX



EC02 EQUIPMENT CASE

Size : 15.5" X 9"



BC3L01 3 LEVELS FOLDING CASE




RFC01 RISER FOAM CASE

Interior padding




UPGRADE RFC02 RISER CASE



LFC01 LIMBS FOAM CASE

Interior padding



UPGRADE LFC02 LIMBS CASE




EC04 FIVICS ARROW TUBE



EC05 ARROW TUBE



RLC01 RISER & LIMBS CASE



Quivers



QV01UNT | UNICO

Artificial leather provide you with elegance.

SIZE : Large / Small
Weight : L-502g / S-418g
RH / LH



QV02AT | ACCENDO TOURNAMENT

Light weight (630g)
Large pocket for accessories



QV01UNB | UNICO BACK

Artificial leather provide you with elegance.

RH / LH



QV02AB | ACCENDO BACK

Light weight (260g)
Large pocket for accessories





QV04XK | XK
Colorful design, Artificial leather
RH / LH



QV06M5 | MIRACLE 500
Double pocket system
RH / LH



QV05NU | NURI
Multi pocket system
RH / LH



QV07M3 | MIRACLE 300
Multiple fashionable colors
RH / LH



QV08FR | FREENIC PLUS
Simple and durable
RH / LH



QV09M5 | METEOR 500
Simple and light, 3 tube design
RH / LH



QV09M3 | METEOR 300
Bright color, 2 tube design
RH / LH





UPGRADE
QV13GL | G009
HUNTING QUIVER

Real hunting
Real Camo



HPTK2
TK2 HAND POCKET



HPTK3
TK3 HAND POCKET



HPTK3N
NATIONAL HAND POCKET



AVAILABLE FOR
ANY COUNTRIES

M.O.Q : more than 100PCS per one flag
Production time : 1month

HPG5
G5 HAND POCKET



UPGRADE
QV13GS | G007
HUNTING QUIVER

Real hunting
Real Camo



AC19EH
HK HOLDER



NEW
QV14GL | G010
HUNTING QUIVER

Simple and light
3 tube design

RH / LH



NEW
QV14GS | G008
HUNTING QUIVER

Simple and light
2 tube design

RH / LH



NEW
CG02BP BAND PLUS

Hard mesh provide you with freshness in shooting.
Band system
Moving free

SIZE : XL, L, M, S, XS RH / LH



CG02BD BAND

Band system
Moving free

SIZE : XL, L, M, S, XS RH / LH



CG001A2 A2

adjust a shoulder band
The button system to adjust sides
SIZE : XL, L, M, S, XS
RH / LH



UPGRADE
CG01C C TYPE

SIZE : XL, L, M, S, XS
RH / LH



CG01SP SHELTER PLUS
CG01SPN SHELTER PLUS NATIONAL

Soft touch


SIZE : XL, L, M, S, XS
RH / LH

M.O.Q : more than 100PCS per one flag
Production time : 1 month



AVAILABLE FOR ANY COUNTRIES

AMH01 HARNESS JELL



AMR01 RAINBOW SHIELD



UPGRADE
SUPERKING



AMS01 SPIDERMAN





STG001 | GABO
BOW STAND

Height : 44cm
Material : Aluminum

COLOR
 Black



ST001S | AUTOMATIC (SHORT)
ST001L | AUTOMATIC (LONG)
BOW STAND

Height : 44cm [ST001S], 65cm [ST001L]
Weight : 573g [ST001S], 680g [ST001L]
Material : Aluminum

COLOR
 Silver



STC001 | COMPOUND
BOW STAND

Weight : 94g
Material : Plastic



SRF001 | FAST FLIGHT STRING | 64", 66", 68" or 70" / 14,16,18 Strands



SR8125 | 8125 STRING | 64", 66", 68" or 70" / 14,16,18 Strands



SRD01L | DACRON STRINGS 10/12 48", 54", 58", 60", 62", 64", 66", 68" or 70"
SRD01H | DACRON STRINGS 14/16 10,12,14,16 Strands



SRS01 | STRAFE BOWSTRING
Recommended strands : 22 / 24
Approx ft / lb waxed : 8800
Speed size : 1lb

ZEILO Components



ZL002SP ZEILO TARGET POINTS



ZT001 ZEILO TARGET INSERT



NC001L FIVICS Pin Nock


Shaft Size	Qty	ShWeight (Grain)	Spine	Recommended Point Weight Range
500	12 pack	9.22	500	110g / 120g
600	12 pack	8.76	600	110g / 120g
700	12 pack	8.18	700	110g / 120g
800	12 pack	7.61	800	110g / 120g
900	12 pack	7.26	900	110g / 120g
1000	12 pack	6.97	1000	110g / 120g
1100	12 pack	6.72	1100	110g / 120g
1200	12 pack	5.59	1200	110g / 120g
1300	12 pack	6.54	1300	110g / 120g
1400	12 pack	6.26	1400	110g / 120g
1500	12 pack	6.07	1500	110g / 120g

ZL001 | ZEILO (Intermediate)

ZEILO is the target arrow for youths. NEW cross weave of pure carbon layer gives it's unequaled strength, even on lightweight pure carbon arrows. This cross-woven method of construction is proven to deliver exceptional strength without adding weight.

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.002"$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.0025"$.

Arrow



MACH3 Components



MACH TARGET POINTS



1.65" Vanes



In Nock

Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	70-80g
500	12 pack	33"	500	70-80g
600	12 pack	33"	600	70-80g
700	12 pack	33"	700	70-80g
800	12 pack	33"	800	70-80g
900	12 pack	33"	900	70-80g
1000	12 pack	30"	1000	70-80g
1100	12 pack	30"	1100	70-80g
1300	12 pack	30"	1300	70-80g
1500	12 pack	30"	1500	70-80g
1800	12 pack	30"	1800	70-80g

NEW MH001 | MACH3

Beginner Carbon Arrow

Size : 400/500/600/700/800/900/1000/1100/1300/1500/1800(11 kinds of spines)

Shaft only : one dozen/12pcs

Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point

Straightness: $\pm 0.006"$



Zeilo Selection Guide
Adjusted Bow Draw Weight

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
20- lbs.	1500	1500	1500	1400	1300	1200	1100	1000	900	900	800
22- lbs.	1500	1500	1400	1300	1200	1100	1000	900	900	800	800
24- lbs.	1500	1400	1300	1200	1100	1000	900	900	800	800	700
26- lbs.	1400	1300	1200	1100	1000	900	900	800	800	700	700
28- lbs.	1300	1200	1100	1000	900	900	800	800	700	700	600
30- lbs.	1200	1100	1000	900	900	800	800	700	700	600	600
32- lbs.	1100	1000	900	900	800	800	700	700	600	600	500
34- lbs.	1000	900	900	800	800	700	700	600	600	500	500
36- lbs.	900	900	800	800	700	700	600	600	500	500	
38- lbs.	900	800	800	700	700	600	600	500	500		
40- lbs.	800	800	700	700	600	600	500	500			
42- lbs.	800	700	700	600	600	500	500				
44- lbs.	700	700	600	600	500	500					
46- lbs.	700	600	600	500	500						
48- lbs.	600	600	500	500							
50- lbs.	600	500	500								
52- lbs.	500	500									
54- lbs.	500										
56- lbs.											

NC001S | FIVICS Pin Nock(S)
NC001L | FIVICS Pin Nock(L)

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Size: S / L
Color:



Available in two size: #1 fits 12-18 strand strings
#2 fits 20-24 strand strings

FIVICS ARCHERY GLUE



AC27GL (50G) AC28GL (20G)

AC28HM
FIVICS HOT MELT



AC01F | EZ FLETCHER

EZ Fletcher is designed for putting vanes on a shaft very easily.

- automatic shaft holding system,
- angle control system
- magnetic system
- detailed adjustment system



FEATURE
MATERIAL : Aluminum
SIZE : 124 x 124 x 220
COLOR : Black

AC06SC
GRAIN SCALE

LCD digital screen display
15 grain accuracy
Weights- Grains, Grams

Model : 60200
Description : Electric scale
Inner pack : 3
Case pack : 12





AC05CT | CARBON T-GAUGE BOW SQUARE

Material : Carbon

AC23SL | SLING



NEW AC29CS | COMPOUND SLING



AC05AT | AQ T-GAUGE BOW SQUARE

Material : Aluminum

COLOR



AC02AS | ARM SUPPORTER

Arm Supporter helps to deliver Strength to back of the arm and to prevent using ngers when beginners Shoot.
Size : S / M / L



AC24STF
FIVICS STRINGER



AC24STS
STRINGER



AC21WS | HEX-i WRENCH

Material : Aluminum

Spec : 1/16 5/64 3/32 7/64 1/8 9/64 5/32 3/16 -1.0 +PH0
Inche



AC23PU | FIVICS PULL



AC22GM | QUICK GRIP MAKER 4"
AC22GM | QUICK GRIP MAKER 8"



UPGRADE AC20LP | LIMB PROTECTOR

The device to protect the tip part and your feet when setting up bows.

Size : 56X97 mm
Material : Enamel, Rubber



NEW CLOTHES

Size: XS / S / M / L / XL / XXL



AC29PSRD



AC29PSGY



AC29PSBL

CAPS



AC11CA



AC12CA



AC13CA



AC14CA



AC15CA



AC16CA

AC25TW | TOWEL



AC17SO | FIVICS LOGO SOCKS(3PAIRS=1SET)



AC18SO | FIVICS LOGO SOCKS(4PAIRS=1SET)



AC26CS COOL ARM SLEEVE



AC25UMBL | UMBRELLA

length : 1m
opened size : 1m 60cm



NEW AC25UMBS | MINI UMBRELLA

length : 55cm
opened size : 1m 10cm



AC26US | TARGET USB (8GB)
AC27US | TARGET USB (16GB)



AC04CL | CLOCK



STRETCH BAND
Size : 20m X 15cm X 0.2mm



KB01A | KIDS BOW SET



- BOW - 1EA
- QUIVER - 1EA
- SAFETY ARROW - 5EA
- MAGNETIC DART - 6EA
- TARGET BOARD 430mm - 1EA


PHONE RINGS





**Perpect
Target Face**

OUTDOOR TARGET FACE



PT 001 OUTDOOR 122cm Target Face
Range: 90m / 70m / 60m
Mark dimension: 122cm X 122cm
Total dimension: 125cm X 125cm (width/length)



PT 002 OUTDOOR 80cm Target Face
Range: 50m / 30m
Mark dimension: 80cm X 80cm
Total dimension: 83cm X 83cm (width/length)



PT 003 OUTDOOR 60cm Target Face
Range: 25m
Mark dimension: 60cm X 60cm
Total dimension: 63cm X 63cm (width/length)



PT 004 OUTDOOR 40cm Target Face
Range: 18m
Mark dimension: 40cm X 40cm
Total dimension: 43cm X 43cm (width/length)


OUT/INDOOR TARGET FACE



PT 005 OUTDOOR 40cm-String Target Face
Range: 30m / 20m
Mark dimension: 40cm X 40cm
Total dimension: 43cm X 43cm (width/length)



PT 006 OUTDOOR(3x40W) Triangular Target face(SLine)
Range: 30m / 20m
Mark dimension: (40cm-Center X 3Target)
Total dimension: 85cm X 85cm (width/length)



PT 007 OUTDOOR(4x40w) Target face(SLine)
Range: 30m / 20m
Mark dimension: (40cm-Center X 4Target)
Total dimension: 93cm X 85cm (width/length)

Target Face



PT 007A OUTDOOR 48cm-String Target Face
Range: 50m
Mark dimension: 48cm X 48cm
Total dimension: 51cm X 51cm (width/length)



PT 007A3 OUTDOOR(3x48W) Triangular Target face(SLine)
Range: 50m
Mark dimension: (48cm-Center X 3Target)
Total dimension: 99cm X 98.5cm (width/length)



PT 007A4 OUTDOOR(4x48W) Triangular Target face(SLine)
Range: 50m
Mark dimension: (48cm-Center X 4Target)
Total dimension: 102cm X 105cm (width/length)




Waterproof

**ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER**

INDOOR TARGET FACE




PT 008 INDOOR 20cm(3X20W)
Target Face(18m)
Range: 18m
Mark dimension: 20cm X 3Target
Total dimension: 23cm X 67cm
(width/length)



PT 009 INDOOR (4X40cm) Single Target Face
Range: 18m
Mark dimension: 40cm X 4Target
Total dimension: 93cm X 85cm (width/length)



PT 011 INDOOR 20cm Triangular Triple Target Face
Range: 18m
Mark dimension: 20cm X 3 X 12Target
Total dimension: 97cm X 85cm (width/length)



PT 010 INDOOR 12cm(3X20W) Target Face(18m)
Range: 18m
Mark dimension: 20cm X 12Target
Total dimension: 103cm X 67cm (width/length)

TRAINING TARGET FACE



PT 012 TRAINING 80cm-CenterSpot Target Face(8Line)
Range: 50m/30m/20m
Mark dimension: 24cmX24cm
Total dimension: 32cmX32cm(width/length)



PT 013 TRAINING 122cm-CenterSpot Target Face(7Line)
Range: 90m/70m/60m
Mark dimension: 48.8cmX48.8cm
Total dimension: 61cmX51cm(width/length)



PT 020 TRAINING Target Face
Mark dimension: 52mmX52mm
Total dimension: 282mmX238mm(width/length)



PT 021 TRAINING Target Face
Mark dimension: 48mmX48mm
Total dimension: 250mmX231mm(width/length)

FIELD TARGET FACE



PT 014 FIELD 80cm Target Face
Mark dimension: 80cmX80cm Target
Total dimension: 83cmX83cm(width/length)



PT 015 FIELD 60cm Target Face
Mark dimension: 60cmX60cm Target
Total dimension: 63cmX63cm(width/length)



PT 016 FIELD 40cm(4X40W) Target Face
Mark dimension: 40cmX40cm
Total dimension: 93cmX85cm(width/length)

ACADEMIC TARGET FACE



PT 017 OUTDOOR Target Face
Range: 70m
Mark dimension: 97.2cmX97.2cm
Total dimension: 103cmX103cm(width/length)

STICKER TARGET FACE



PT 018 Sticker Target Face
Range: 90m / 70m / 60m
Mark dimension: 15.8cm X 15.8cm



PT 019 Sticker Target Face
Range: 50m / 30m
Mark dimension: 24.3cm X 24.3cm

PAG001 | PERFECT SCORE SHEET



Name: Perfect score sheet
Total dimension: A4(21 X 29.7)
Applicable under any weather condition
Ink not smudged


Waterproof



**ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER**

TITAN PLUS RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Anodizing)
25"	1,315g	Aluminum(6061)	RH / LH	BLACK, BLUE, PURPLE, PINK, RED YELLOW, GREEN

PLATINA RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (HardAnodizing)
25"	1,320g	Aluminum(6061), BTR300 Rubber	RH / LH	BLACK, BLUE, KHAKI, GRAY, RED

FX1 RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
25"	1,290g	Aluminum(6061)	RH / LH	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE

SRV RISER

LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
23"	1,220g	Aluminum(6061)	RH / LH	BLACK, BLUE, RED, YELLOW, GREEN, PINK, WHITE
25"	1,280g			

TITAN WOOD CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Hard Maple / 3K Full Carbon	28# ~ 48#	66", 68", 70"

TITAN FOAM CORE LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Foam / 3K Full Carbon	28# ~ 48#	66", 68", 70"

MERIDIAN FX1 LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Hard Maple / Cross Carbon	28# ~ 48#	66", 68", 70"

MERIDIAN RX1 LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Foam / Cross Carbon	28# ~ 48#	66", 68", 70"

PEGASUS LIMBS

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
Wood / UD Carbon	28# ~ 48#	66", 68", 70"



TITAN



PLATINA



FX1



SRV



TITAN WOOD



TITAN FOAM



MERIDIAN FX1



MERIDIAN RX1



PEGASUS